

16118.2

WE-4DOt-2AO



Control module, Voltage: 24 V AC / DC

## Business data

Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	142 g
Weight per piece (including packaging)	182 g
Unit of weight	G
Customs number	85423190
Country of origin	NL
Product description	Controller module

---

### Technical data

---

#### Connection data

---

Connection principle	Screw connection
Wire cross-section single core (rigid), min.	0.2 mm <sup>2</sup>
Wire cross-section single-core (rigid), max.	4 mm <sup>2</sup>
Wire cross-section stranded, min.	0.2 mm <sup>2</sup>
Wire cross-section stranded, max.	4 mm <sup>2</sup>
Wire cross-section stranded with wire-end ferrules, min.	0.2 mm <sup>2</sup>
Wire cross-section stranded with wire-end ferrules, max.	2.5 mm <sup>2</sup>
Stripping length	6 mm
Torque	0.4 Nm


#### Environmental Product Compliance

---

REACH Conform	Yes, yes
REACH Reference date	2021-07-08
REACH Candidate Substance Note	No
RoHS Conform	Yes, yes

### Media

24V	24V	0V	0V	24	ao1	0V	24	ao2	0V	0V	0V		
-	A1	WE-4DOt-2AO								INTERNAL BUS		A1	-C
-	A2									A2	-C		
-	A									A	-C		
-	B									B	-C		
24	do1	24	do2	24	do3	24	do4	0V	0V	0V	0V		



# Data sheet

16118.2

WE-4DOt-2AO



---

## Accessories

---